

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 02.03.2022

Version number 3 (replaces version 2)

Revision: 02.03.2022

### SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- **1.1 Product identifier**
- **Trade name:** **LT NEUTRAL**
- **UFI:** SS00-G0QX-100D-MTDM
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
- **Life cycle stages** PW Widespread use by professional workers
- **Product category**  
PC20 Processing aids such as pH-regulators, flocculants, precipitants, neutralization agents
- **Application of the substance / the mixture**  
Odour neutralising agent  
Neutralizing odors by counted
- **Uses advised against** Any use other than those identified is not recommended.
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
LABIO TEST S.r.l.  
Via Pramollo, 6 - 33040 POVOLETTO (UD)  
TEL. +39 0432 634449 - Fax +39 0432 66 44 82  
labiotest@gruppoluci.it
- **Further information obtainable from:** labiotest@gruppoluci.it
- **1.4 Emergency telephone number:** Labiotest - TEL. +39 0432 634449 (orari ufficio)

### SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



corrosion

Eye Dam. 1 H318 Causes serious eye damage.

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**  
The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms**



GHS05

- **Signal word** Danger
- **Hazard-determining components of labelling:**  
Alcol grasso etossilato propossilato
- **Hazard statements**  
H318 Causes serious eye damage.
- **Precautionary statements**  
P280 Wear eye protection / face protection.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P312 Call a POISON CENTER/doctor if you feel unwell.  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- **Additional information:**  
EUH208 Contains 2-methyl-2H-isothiazol-3-one. May produce an allergic reaction.
- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.

(Contd. on page 2)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 02.03.2022

Version number 3 (replaces version 2)

Revision: 02.03.2022

**Trade name: LT NEUTRAL**

(Contd. of page 1)

· **vPvB:** Not applicable.

### SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

· **Description:** Mixture of substances listed below with nonhazardous additions.

#### · Dangerous components:

absence of hazardous ingredients in accordance with the applicable regulations

CAS: 107-98-2 EINECS: 203-539-1 Reg.nr.: 01-2119457435-35	1-methoxy-2-propanol Flam. Liq. 3, H226; Acute Tox. 3, H331; STOT SE 3, H336	5-15%
CAS: 68154-97-2	Alcol grasso etossilato propossilato Eye Dam. 1, H318; Acute Tox. 4, H302	5-15%
CAS: 2682-20-4 EINECS: 220-239-6	2-methyl-2H-isothiazol-3-one Acute Tox. 3, H301; Acute Tox. 3, H311; Skin Corr. 1B, H314; Skin Sens. 1A, H317 Specific concentration limit: Skin Sens. 1A; H317: C ≥ 0.0015 %	<0.0015%

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

##### General information:

Rescue workers must wear the protective equipment described in section 8.2 of this safety data sheet.

· **After inhalation:** Supply fresh air; consult doctor in case of complaints.

· **After eye contact:** Rinse opened eye for several minutes under running water.

· **After swallowing:** Rinse out mouth and then drink plenty of water.

#### 4.2 Most important symptoms and effects, both acute and delayed

Eyes: corrosive, corneal damage, irritation

#### 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

##### Suitable extinguishing agents:

CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray.

Use fire extinguishing methods suitable to surrounding conditions.

· **For safety reasons unsuitable extinguishing agents:** None in particular

#### 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

#### 5.3 Advice for firefighters

##### Protective equipment:

Wear personal protective clothing.

See Section 8 for information on personal protection equipment.

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

See Section 8 for information on personal protection equipment.

Wear protective equipment. Keep unprotected persons away.

· **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.

(Contd. on page 3)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 02.03.2022

Version number 3 (replaces version 2)

Revision: 02.03.2022

**Trade name: LT NEUTRAL**

(Contd. of page 2)

- **6.3 Methods and material for containment and cleaning up:**  
Send for recovery or disposal in suitable receptacles.  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose contaminated material as waste according to item 13.
- **6.4 Reference to other sections**  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

### SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**  
Avoid contact with eyes and skin.  
You should follow the usual precautions for handling chemical products
- **Information about fire - and explosion protection:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store only in the original receptacle.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **7.3 Specific end use(s)** No further relevant information available.

### SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**

- **Ingredients with limit values that require monitoring at the workplace:**

**CAS: 107-98-2 1-methoxy-2-propanol (5-15%)**

WEL	Short-term value: 560 mg/m <sup>3</sup> , 150 ppm
	Long-term value: 375 mg/m <sup>3</sup> , 100 ppm
Sk	

- **DNELs**

**CAS: 107-98-2 1-methoxy-2-propanol**

Dermal	Long term, local effect	50.6 mg/kg (professional workers)
--------	-------------------------	-----------------------------------

- **PNECs**

**CAS: 107-98-2 1-methoxy-2-propanol**

PNEC	10 mg/l (freshwater)
	1 mg/l (marine water)

- **Additional information:** The lists valid during the making were used as basis.
- **8.2 Exposure controls**
- **Appropriate engineering controls** No further data; see item 7.
- **Individual protection measures, such as personal protective equipment**
- **General protective and hygienic measures:** Wash hands before breaks and at the end of work.
- **Respiratory protection:** Not required.
- **Hand protection**  
The use of gloves is recommended as a preventive measure  
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves**  
Neoprene gloves  
Nitrile rubber, NBR  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore

(Contd. on page 4)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 02.03.2022

Version number 3 (replaces version 2)

Revision: 02.03.2022

**Trade name: LT NEUTRAL**

(Contd. of page 3)

to be checked prior to the application.

- **Penetration time of glove material**

Breakthrough time: > = 480 min - Material thickness: > = 0.7 mm

Breakthrough time: > = 60 min - Material thickness: > = 0.5 mm

Breakthrough time: > = 30 min - Material thickness: > = 0.2 mm

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye/face protection**



Tightly sealed goggles

### SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**

- **General Information**

- **Physical state**

Fluid

- **Colour:**

Colourless

- **Odour:**

Characteristic

- **Odour threshold:**

Not determined.

- **Melting point/freezing point:**

0 °C

- **Boiling point or initial boiling point and boiling range**

>90 °C

- **Flammability**

Not applicable.

- **Lower and upper explosion limit**

- **Lower:**

Not determined.

- **Upper:**

Not determined.

- **Flash point:**

Not applicable.

- **Auto-ignition temperature:**

Product is not selfigniting.

- **pH at 20 °C**

7-8

- **Viscosity:**

- **Kinematic viscosity**

Not determined.

- **Dynamic at 20 °C:**

0.952 mPas

- **Solubility**

- **water:**

Soluble.

- **Partition coefficient n-octanol/water (log value)**

Not determined.

- **Vapour pressure at 20 °C:**

23 hPa

- **Density and/or relative density**

- **Density at 20 °C:**

1.01 g/cm<sup>3</sup>

- **Relative density**

Not determined.

- **Vapour density**

Not determined.

- **9.2 Other information**

- **Appearance:**

- **Form:**

Fluid

- **Important information on protection of health and environment, and on safety.**

- **Explosive properties:**

Product does not present an explosion hazard.

- **Change in condition**

- **Evaporation rate**

Not determined.

- **Information with regard to physical hazard classes**

- **Explosives**

Void

- **Flammable gases**

Void

(Contd. on page 5)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 02.03.2022

Version number 3 (replaces version 2)

Revision: 02.03.2022

**Trade name: LT NEUTRAL**

(Contd. of page 4)

· <b>Aerosols</b>	Void
· <b>Oxidising gases</b>	Void
· <b>Gases under pressure</b>	Void
· <b>Flammable liquids</b>	Void
· <b>Flammable solids</b>	Void
· <b>Self-reactive substances and mixtures</b>	Void
· <b>Pyrophoric liquids</b>	Void
· <b>Pyrophoric solids</b>	Void
· <b>Self-heating substances and mixtures</b>	Void
· <b>Substances and mixtures, which emit flammable gases in contact with water</b>	Void
· <b>Oxidising liquids</b>	Void
· <b>Oxidising solids</b>	Void
· <b>Organic peroxides</b>	Void
· <b>Corrosive to metals</b>	Void
· <b>Desensitised explosives</b>	Void

### SECTION 10: Stability and reactivity

- **10.1 Reactivity** No hazardous reactions when stored and handled according to instructions
- **10.2 Chemical stability** The product is stable under normal conditions of use and storage
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** Excessive variations in temperature, below 0 ° C and above 40 ° C
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

### SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity**

- **LD/LC50 values relevant for classification:**

#### ATE (Acute Toxicity Estimates)

Oral	LD50	11,628 mg/kg
Inhalative	LC50/4 h	57.7 mg/l (rat)

#### CAS: 107-98-2 1-methoxy-2-propanol

Oral	LD50	5,660 mg/kg (rat)
Dermal	LD50	13,000 mg/kg (rabbit)
Inhalative	LC50/4 h	6 mg/l (rat)

#### CAS: 68154-97-2 Alcol grasso etossilato propossilato

Oral	LD50	500 mg/kg (ATE)
------	------	-----------------

#### CAS: 2682-20-4 2-methyl-2H-isothiazol-3-one

Oral	LD50	100 mg/kg (ATE)
Dermal	LD50	300 mg/kg (ATE)

- **Serious eye damage/irritation** Causes serious eye damage.
- **11.2 Information on other hazards**

- **Endocrine disrupting properties**

None of the ingredients is listed.

GB

(Contd. on page 6)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 02.03.2022

Version number 3 (replaces version 2)

Revision: 02.03.2022

Trade name: LT NEUTRAL

(Contd. of page 5)

### SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** Easily biodegradable
- **12.3 Bioaccumulative potential** Non significant accumulation in organisms
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Endocrine disrupting properties**  
The product does not contain substances with endocrine disrupting properties.
- **12.7 Other adverse effects**
- **Additional ecological information:**
- **General notes:** Not hazardous for water.

### SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Uncleaned packaging:**
- **Recommendation:**  
Empty the containers before disposal. Do not reuse the emptied containers. Send the empty containers to recycling or to an authorized company in compliance with local and national regulations.
- **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

### SECTION 14: Transport information

- |   |  |
|---|--|
| · <b>14.1 UN number or ID number</b><br>· <b>ADR, IMDG, IATA</b>                            | Void   |
| · <b>14.2 UN proper shipping name</b><br>· <b>ADR, IMDG, IATA</b>                           | Void   |
| · <b>14.3 Transport hazard class(es)</b><br>· <b>ADR, ADN, IMDG, IATA</b><br>· <b>Class</b> | Void   |
| · <b>14.4 Packing group</b><br>· <b>ADR, IMDG, IATA</b>                                     | Void   |
| · <b>14.5 Environmental hazards:</b>  | Not applicable.                                      |
| · <b>14.6 Special precautions for user</b>  | Not applicable.                                      |
| · <b>14.7 Maritime transport in bulk according to IMO instruments</b>                       | Not applicable.                                      |
| · <b>Transport/Additional information:</b>  | Not dangerous according to the above specifications. |
| · <b>UN "Model Regulation":</b>   | Void   |

GB

(Contd. on page 7)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 02.03.2022

Version number 3 (replaces version 2)

Revision: 02.03.2022

Trade name: **LT NEUTRAL**

(Contd. of page 6)

### SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

- **Regulation (EC) No 648/2004 on detergents / Labelling for contents**

non-ionic surfactants	≥5 - <15%
preservation agents (METHYLISOTHIAZOLINONE)	

- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

- **Relevant phrases**

H226 Flammable liquid and vapour.

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H331 Toxic if inhaled.

H336 May cause drowsiness or dizziness.

- **Classification according to Regulation (EC) No 1272/2008**

Eye Dam. 1, H318 - Calculation method

- **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 3: Flammable liquids – Category 3

Acute Tox. 4: Acute toxicity – Category 4

Acute Tox. 3: Acute toxicity – Category 3

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Skin Sens. 1A: Skin sensitisation – Category 1A

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

- **\* Data compared to the previous version altered.**