Printing date 07.02.2021

Version number 2

Revision: 07.02.2021

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking · 1.1 Product identifier · Trade name: MASTER FOS 50DEO/CAS 1.2 Relevant identified uses of the substance or mixture and uses advised against · Life cycle stages PW Widespread use by professional workers · Sector of Use SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen) · Product category PC20 Processing aids such as pH-regulators, flocculants, precipitants, neutralization agents · Process category PROC8a Transfer of substance or mixture (charging and discharging) at non-dedicated facilities · Environmental release category ERC8d Widespread use of non-reactive processing aid (no inclusion into or onto article, outdoor) · Application of the substance / the mixture Neutralizing odors by counted · 1.3 Details of the supplier of the safety data sheet · Further information obtainable from: labiotest@gruppoluci.it · 1.4 Emergency telephone number: Labiotest - TEL. +39 0432 634449 SECTION 2: Hazards identification · 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 The product is not classified, according to the CLP regulation. · 2.2 Label elements · Labelling according to Regulation (EC) No 1272/2008 Void · Hazard pictograms Void · Signal word Void · Hazard statements Void · Precautionary statements P233 Keep container tightly closed. Keep only in original packaging. P234 P235+P410 Keep cool. Protect from sunlight. P302+P352 IF ON SKIN: Wash with plenty of water. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. · Additional information: EUH208 Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction. EUH210 Safety data sheet available on request. · 2.3 Other hazards · Results of PBT and vPvB assessment · PBT: Not applicable. · vPvB: Not applicable. SECTION 3: Composition/information on ingredients · 3.2 Mixtures · Description: Mixture of the following substances with non-hazardous additives and Class 1 natural bacterial cultures. (Contd. on page 2) GB

Printing date 07.02.2021

Version number 2

Revision: 07.02.2021

(Contd. of page 1)

### Trade name: MASTER FOS 50DEO/CAS

040,0004,00 5		0.04.0.40
CAS: 2634-33-5	1,2-benzisothiazol-3(2H)-one	0.01-0.1%
EINECS: 220-120-9	🚱 Eve Dam. 1. H318: 🕸 Aquatic Acute 1. H400:	
Reg.nr.: 01-2120761540-60-	<ul> <li>Eye Dam. 1, H318;</li> <li>Aquatic Acute 1, H400;</li> <li>Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens.</li> </ul>	
0000	1, H317	
	Specific concentration limit:	
	Skin Sens. 1; H317: C ≥ 0.05 %	

· Additional information: For the wording of the listed hazard phrases refer to section 16.

### **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. After swallowing:

Rinse out mouth and then drink plenty of water.

- Do not induce vomiting; call for medical help immediately.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

### **SECTION 5: Firefighting measures**

· 5.1 Extinguishing media

- Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray. Use fire extinguishing methods suitable to surrounding conditions.
- $\cdot$  5.2 Special hazards arising from the substance or mixture
- No further relevant information available. • 5.3 Advice for firefighters
- · Protective equipment:

Wear personal protective clothing.

See Section 8 for information on personal protection equipment.

## SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Wear protective clothing.

Wear protective equipment. Keep unprotected persons away.

- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:
- Absorb liquid components with liquid-binding material. • 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# **SECTION 7: Handling and storage**

· 7.1 Precautions for safe handling No special precautions are necessary if used correctly.

· Information about fire - and explosion protection: No special measures required.

(Contd. on page 3)

GB

Printing date 07.02.2021

Version number 2

Revision: 07.02.2021

#### Trade name: MASTER FOS 50DEO/CAS

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

### **SECTION 8: Exposure controls/personal protection**

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures: Wash hands before breaks and at the end of work.
- · Respiratory protection: Not required.
- · Hand protection
- · Material of gloves
- Rubber gloves
- Neoprene gloves

Recommended thickness of the material: > 0.2 mm

- Penetration time of glove material The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
- · Eye/face protection Goggles recommended during refilling

### SECTION 9: Physical and chemical properties

General Information     Bhysical state	Fluid	
· Physical state		
· Colour:	Colorless - pale	
Odour:	Characteristic	
· Odour threshold:	Not determined.	
<ul> <li>Melting point/freezing point:</li> </ul>	Undetermined.	
<ul> <li>Boiling point or initial boiling point and</li> </ul>		
boiling range	Undetermined.	
· Flammability	Product is not flammable.	
· Flash point:	Not inflammable	
Auto-ignition temperature:	Product is not selfigniting.	
· pH at 20 °C	7-8	
Viscosity:		
· Kinematic viscosity	Not determined.	
· Dynamic:	Not determined.	
· Solubility		
· water:	Soluble.	
· Partition coefficient n-octanol/water (log		
value)	Not determined.	
· Vapour pressure:	Not determined.	
<ul> <li>Density and/or relative density</li> </ul>		
· Density at 20 °C:	1.01 g/cm³	
· Relative density	Not determined.	
		(Contd. on page 4)

(Contd. of page 2)

Printing date 07.02.2021

Version number 2

Revision: 07.02.2021

### Trade name: MASTER FOS 50DEO/CAS

	(Contd. of pag
Vapour density	Not determined.
9.2 Other information	
Appearance:	
Form:	Fluid
Important information on protection of hea	alth
and environment, and on safety.	
Explosive properties:	Product does not present an explosion hazard.
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical hazard	1
classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit	
flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

# SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

· Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid Excessive variations in temperature, below 0 ° C and above 40 ° C
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

### **SECTION 11: Toxicological information**

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
 Acute toxicity

· LD/LC50 values relevant for classification:

CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one

Oral LD50 500 mg/kg (ATE)

11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

(Contd. on page 5)

GB

Printing date 07.02.2021

Version number 2

Revision: 07.02.2021

#### Trade name: MASTER FOS 50DEO/CAS

(Contd. of page 4)

### **SECTION 12: Ecological information**

#### · 12.1 Toxicity

- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability Easily biodegradable
- · 12.3 Bioaccumulative potential Non significant accumulation in organisms
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

# SECTION 13: Disposal considerations

#### · 13.1 Waste treatment methods

· Recommendation

Do not discard the product or its packaging. Do not empty into drains. Recycle the product. When recycling is not possible, dispose through an authorized company in compliance with the local or national regulations. The assignment of the waste code is the user's responsibility, after determining the properties of the waste and the process generating it and after discussing it with the authorities responsible for disposal.

· Uncleaned packaging:

#### · Recommendation:

Empty the containers before disposal. Do not reuse the emptied containers. Send the empty containers to recycling or to an authorized company in compliance with local and national regulations.

14.1 UN number or ID number	
ADR, ADN, IMDG, IATA	Void
	VOIU
14.2 UN proper shipping name	
ADR, ADN, IMDG, IATA	Void
14.3 Transport hazard class(es)	
ADR, ADN, IMDG, IATA	
Class	Void
14.4 Packing group	
ADR, IMDG, IATA	Void
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Not applicable.
14.7 Maritime transport in bulk accordi	ing to
IMO instruments	Not applicable.
Transport/Additional information:	Not dangerous according to the above specifications.

Printing date 07.02.2021

Version number 2

Revision: 07.02.2021

(Contd. of page 5)

Trade name: MASTER FOS 50DEO/CAS

· UN "Model Regulation":

Void

### SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

#### Relevant phrases

H302 Harmful if swallowed. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H400 Very toxic to aquatic life. Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity - Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Skin Sens. 1: Skin sensitisation - Category 1 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 • \* Data compared to the previous version altered.

GB